To: Arguto, William[Arguto.William@epa.gov]; Wisniewski, Patti-Kay[Wisniewski.Patti-

Kay@epa.gov]

From: binetti, victoria

Sent: Thur 3/27/2014 6:18:28 PM

Subject: FW: SPOT REPORT - WV Water Incident Reported by WV Health

From: Rodrigues, Cecil

Sent: Thursday, March 27, 2014 1:25 PM

To: Garvin, Shawn; Early, William

Cc: schafer, joan; Capacasa, Jon; Lueckenhoff, Dominique; Melvin, Karen; Burns, Francis; binetti,

victoria; Mulkey, Marcia

Subject: FW: SPOT REPORT - WV Water Incident Reported by WV Health

Shawn:

See below. "Frothing water" reported upstream of Freedom Ind. WV has responded and taken samples. Suspect that it may be naturally occurring.

From: Tierney, MaryAnn < MaryAnn.Tierney@fema.dhs.gov>

Sent: Thursday, March 27, 2014 12:52:01 PM

To: 'Emily.Falone@hhs.gov'; 'Don.Boyce@hhs.gov'; 'Joseph.Lamana@hhs.gov'; 'Harry.Mayer@HHS.GOV'; 'Stephen.Formanski@hhs.gov'; HHS; 'Emgops@hhs.gov';

'EMGPLAN@hhs.gov'; 'john.mcgowan@dhs.gov'; FEMA-R03-RRCC-WATCH; Gruber, Gene; Barlow, Janice; Werner, Lora; 'lkw9@cdc.gov'; Helverson, Robert; 'John.Koerner@hhs.gov';

Steuteville, William; McGowan, John; Welch, Robert

Subject: Re: SPOT REPORT - WV Water Incident Reported by WV Health

Should we convene the call we have discussed?

MaryAnn Tierney Regional Administrator FEMA Region III To: Arguto, William[Arguto.William@epa.gov]; Wisniewski, Patti-Kay[Wisniewski.Patti-

Kay@epa.gov]

From: binetti, victoria

Sent: Thur 3/27/2014 6:18:28 PM

Subject: FW: SPOT REPORT - WV Water Incident Reported by WV Health

From: Rodrigues, Cecil

Sent: Thursday, March 27, 2014 1:25 PM

To: Garvin, Shawn; Early, William

Cc: schafer, joan; Capacasa, Jon; Lueckenhoff, Dominique; Melvin, Karen; Burns, Francis; binetti,

victoria; Mulkey, Marcia

Subject: FW: SPOT REPORT - WV Water Incident Reported by WV Health

Shawn:

See below. "Frothing water" reported upstream of Freedom Ind. WV has responded and taken samples. Suspect that it may be naturally occurring.

From: Tierney, MaryAnn < MaryAnn.Tierney@fema.dhs.gov>

Sent: Thursday, March 27, 2014 12:52:01 PM

To: 'Emily.Falone@hhs.gov'; 'Don.Boyce@hhs.gov'; 'Joseph.Lamana@hhs.gov'; 'Harry.Mayer@HHS.GOV'; 'Stephen.Formanski@hhs.gov'; HHS; 'Emgops@hhs.gov';

'EMGPLAN@hhs.gov'; 'john.mcgowan@dhs.gov'; FEMA-R03-RRCC-WATCH; Gruber, Gene; Barlow, Janice; Werner, Lora; 'lkw9@cdc.gov'; Helverson, Robert; 'John.Koerner@hhs.gov';

Steuteville, William; McGowan, John; Welch, Robert

Subject: Re: SPOT REPORT - WV Water Incident Reported by WV Health

Should we convene the call we have discussed?

Mary Ann Tierney Regional Administrator FEMA Region III From: Falone, Emily (HHS/ASPR) [mailto:Emily.Falone@hhs.gov]

Sent: Thursday, March 27, 2014 12:35 PM

To: Boyce, Don (HHS/ASPR/OEM) < Don.Boyce@hhs.gov>; Lamana, Joseph (HHS/ASPR/OEM) < Joseph.Lamana@hhs.gov>; Mayer, Harry (HHS/ASPR/OEM) < Harry.Mayer@HHS.GOV>; Formanski, Stephen (HHS/ASPR/OEM) < Stephen.Formanski@hhs.gov>; HHS; OS EMGOPS (HHS/ASPR) < Emgops@hhs.gov>; OS EMGPLAN (HHS/ASPR) < EMGPLAN@hhs.gov>; Tierney, MaryAnn; John McGowan (john.mcgowan@dhs.gov) < john.mcgowan@dhs.gov>; FEMA-R03-RRCC-WATCH; Gruber, Gene; Barlow, Janice; Lora Werner (Werner.Lora@epa.gov) < Werner.Lora@epa.gov>; Werner, Lora S. (ATSDR/DCHI/EB) < lkw9@cdc.gov>; Helverson, Robert < Helverson.Robert@epa.gov>; Koerner, John (HHS/ASPR/OEM) < John.Koerner@hhs.gov>; William Steuteville (Steuteville.william@Epa.gov) < Steuteville.william@Epa.gov>

Subject: SPOT REPORT - WV Water Incident Reported by WV Health

Situation:

WV Health Department notified HHS Region 3 Office @ 12:20 pm of some actions the State has taken related to sightings of a **frothy white substance in the Elk River near Freedom Industries around 11 am.** Frothing is seen in other parts of the river. State suspects that it is a natural phenomenon or that something else has been put into the water.

(Note: Freedom Industries was company that released chemical into Elk earlier this year and is currently not operating).

Actions:

- Water intake company just downstream closed intake from river for two hours but has since re-opened.
- State Environmental Protection took samples and they are being processed.
- State EOC and WV Health are on alert and monitoring.

From: Falone, Emily (HHS/ASPR) [mailto:Emily.Falone@hhs.gov]

Sent: Thursday, March 27, 2014 12:35 PM

To: Boyce, Don (HHS/ASPR/OEM) < Don.Boyce@hhs.gov>; Lamana, Joseph (HHS/ASPR/OEM) < Joseph.Lamana@hhs.gov>; Mayer, Harry (HHS/ASPR/OEM) < Harry.Mayer@HHS.GOV>; Formanski, Stephen (HHS/ASPR/OEM) < Stephen.Formanski@hhs.gov>; HHS; OS EMGOPS (HHS/ASPR) < Emgops@hhs.gov>; OS EMGPLAN (HHS/ASPR) < EMGPLAN@hhs.gov>; Tierney, MaryAnn; John McGowan (john.mcgowan@dhs.gov) < john.mcgowan@dhs.gov>; FEMA-R03-RRCC-WATCH; Gruber, Gene; Barlow, Janice; Lora Werner (Werner.Lora@epa.gov) < Werner.Lora@epa.gov>; Werner, Lora S. (ATSDR/DCHI/EB) < lkw9@cdc.gov>; Helverson, Robert < Helverson.Robert@epa.gov>; Koerner, John (HHS/ASPR/OEM) < John.Koerner@hhs.gov>; William Steuteville (Steuteville.william@Epa.gov) < Steuteville.william@Epa.gov>

Subject: SPOT REPORT - WV Water Incident Reported by WV Health

Situation:

WV Health Department notified HHS Region 3 Office @ 12:20 pm of some actions the State has taken related to sightings of a **frothy white substance in the Elk River near Freedom Industries around 11 am.** Frothing is seen in other parts of the river. State suspects that it is a natural phenomenon or that something else has been put into the water.

(Note: Freedom Industries was company that released chemical into Elk earlier this year and is currently not operating).

Actions:

- Water intake company just downstream closed intake from river for two hours but has since re-opened.
- State Environmental Protection took samples and they are being processed.
- State EOC and WV Health are on alert and monitoring.

- Should the situation escalate, State Health will contact HHS Region 3 to convene a Technical Assessment Call with State EMA, State Health, FEMA R3, R3 EPA and ATSDR.
- No ESF 8 federal requests.



- Should the situation escalate, State Health will contact HHS Region 3 to convene a Technical Assessment Call with State EMA, State Health, FEMA R3, R3 EPA and ATSDR.
- No ESF 8 federal requests.

